



Council of Trustees and Management
Indiana University of Pennsylvania
of the State System of Higher Education
Indiana, Pennsylvania

In planning and performing our audit of the financial statements of the business-type activities and the aggregate discretely presented component units of Indiana University of the Pennsylvania State System of Higher Education (the University) as of and for the year ended June 30, 2022, in accordance with auditing standards generally accepted in the United States of America, we considered the entity's internal control over financial reporting (internal control) as a basis for designing audit procedures that are appropriate in the circumstances for the purpose of expressing our opinions on the financial statements, but not for the purpose of expressing an opinion on the effectiveness of the entity's internal control. Accordingly, we do not express an opinion on the effectiveness of the entity's internal control.

Our report on our audit of the financial statements includes a reference to other auditors who audited certain of the financial statements of the discretely presented component units, as described in our report on the University's financial statements. This report does not include the results of the other auditors' testing of internal control over financial reporting that are reported on separately by those auditors.

A deficiency in internal control exists when the design or operation of a control does not allow management or employees, in the normal course of performing their assigned functions, to prevent, or detect and correct misstatements on a timely basis. A material weakness is a deficiency, or a combination of deficiencies, in internal control, such that there is a reasonable possibility that a material misstatement of the entity's financial statements will not be prevented, or detected and corrected, on a timely basis.

Our consideration of internal control was for the limited purpose described in the first paragraph and was not designed to identify all deficiencies in internal control that might be material weaknesses. In addition, because of inherent limitations in internal control, including the possibility of management override of controls, misstatements due to fraud or error may occur and not be detected by such controls. Given these limitations, during our audit we did not identify any deficiencies in internal control that we consider to be material weaknesses. However, material weaknesses may exist that have not been identified.

* * *

This communication is intended solely for the information and use of management, the council of trustees, and others within the entity, and is not intended to be, and should not be, used by anyone other than these specified parties.

CliftonLarsonAllen LLP

Plymouth Meeting, Pennsylvania
October 31, 2022